



G.KOKKORIS & CO Partnership

CATALOG

Multi Axis System

Head Office: 8 Prespas str. Mosxato, 183 46 Athens
tel. 0030 / 210 4822398
fax. 0030/ 210 4822538

info@anko.com.gr

Factory : Oinofyta Viotia, Position Kontita
tel. 0030/ 22620 32525
fax. 0030/ 22620 32690

www.anko.com.gr

CONTENTS

Page 3.....	Base Plates - Starter - Verticals
Page 4	Horizontal - O-Ledger - Diagonal Braces
Page 5.....	Lattice Beams - Console Brackets
Page 6	Steel Decks - Toe Boards
Page 7	Access Decks
Page 8	Stairway
Page 9	Couplers
Page 10	Storage - Extras
Page 11	Scaffold Assembly
Page 12	Order Form

Certification

ΒΕΛΛΗΝΙΚΟ ΕΓΚΑΤΑΣΤΑΣΙΟ ΤΥΠΟΥ
 Στοιχεία σύστασης για την ΚΥΑ 3446/19-4-01 (ΚΕΚ 746/16-4-01)
 Αξιολογητής: LPE-01.01.20-1 εν 1 Πιστοποίηση: F Ορισμός: 2004
 Βάση: Τύπος: Τύπος Κ.Σ.
 15 Ανάλυση
 16000 Τύπος
 17000 Τύπος
 18000 Τύπος
 19000 Τύπος
 20000 Τύπος
 21000 Τύπος
 22000 Τύπος
 23000 Τύπος
 24000 Τύπος
 25000 Τύπος
 26000 Τύπος
 27000 Τύπος
 28000 Τύπος
 29000 Τύπος
 30000 Τύπος
 31000 Τύπος
 32000 Τύπος
 33000 Τύπος
 34000 Τύπος
 35000 Τύπος
 36000 Τύπος
 37000 Τύπος
 38000 Τύπος
 39000 Τύπος
 40000 Τύπος
 41000 Τύπος
 42000 Τύπος
 43000 Τύπος
 44000 Τύπος
 45000 Τύπος
 46000 Τύπος
 47000 Τύπος
 48000 Τύπος
 49000 Τύπος
 50000 Τύπος
 51000 Τύπος
 52000 Τύπος
 53000 Τύπος
 54000 Τύπος
 55000 Τύπος
 56000 Τύπος
 57000 Τύπος
 58000 Τύπος
 59000 Τύπος
 60000 Τύπος
 61000 Τύπος
 62000 Τύπος
 63000 Τύπος
 64000 Τύπος
 65000 Τύπος
 66000 Τύπος
 67000 Τύπος
 68000 Τύπος
 69000 Τύπος
 70000 Τύπος
 71000 Τύπος
 72000 Τύπος
 73000 Τύπος
 74000 Τύπος
 75000 Τύπος
 76000 Τύπος
 77000 Τύπος
 78000 Τύπος
 79000 Τύπος
 80000 Τύπος
 81000 Τύπος
 82000 Τύπος
 83000 Τύπος
 84000 Τύπος
 85000 Τύπος
 86000 Τύπος
 87000 Τύπος
 88000 Τύπος
 89000 Τύπος
 90000 Τύπος
 91000 Τύπος
 92000 Τύπος
 93000 Τύπος
 94000 Τύπος
 95000 Τύπος
 96000 Τύπος
 97000 Τύπος
 98000 Τύπος
 99000 Τύπος
 100000 Τύπος

ΒΕΛΛΗΝΙΚΟ ΕΓΚΑΤΑΣΤΑΣΙΟ ΤΥΠΟΥ
 Στοιχεία σύστασης για την ΚΥΑ 3446/19-4-01 (ΚΕΚ 746/16-4-01)
 Αξιολογητής: LPE-01.01.20-1 εν 2 Πιστοποίηση: F Ορισμός: 2004
 Βάση: Τύπος: Τύπος Κ.Σ.
 15 Ανάλυση
 16000 Τύπος
 17000 Τύπος
 18000 Τύπος
 19000 Τύπος
 20000 Τύπος
 21000 Τύπος
 22000 Τύπος
 23000 Τύπος
 24000 Τύπος
 25000 Τύπος
 26000 Τύπος
 27000 Τύπος
 28000 Τύπος
 29000 Τύπος
 30000 Τύπος
 31000 Τύπος
 32000 Τύπος
 33000 Τύπος
 34000 Τύπος
 35000 Τύπος
 36000 Τύπος
 37000 Τύπος
 38000 Τύπος
 39000 Τύπος
 40000 Τύπος
 41000 Τύπος
 42000 Τύπος
 43000 Τύπος
 44000 Τύπος
 45000 Τύπος
 46000 Τύπος
 47000 Τύπος
 48000 Τύπος
 49000 Τύπος
 50000 Τύπος
 51000 Τύπος
 52000 Τύπος
 53000 Τύπος
 54000 Τύπος
 55000 Τύπος
 56000 Τύπος
 57000 Τύπος
 58000 Τύπος
 59000 Τύπος
 60000 Τύπος
 61000 Τύπος
 62000 Τύπος
 63000 Τύπος
 64000 Τύπος
 65000 Τύπος
 66000 Τύπος
 67000 Τύπος
 68000 Τύπος
 69000 Τύπος
 70000 Τύπος
 71000 Τύπος
 72000 Τύπος
 73000 Τύπος
 74000 Τύπος
 75000 Τύπος
 76000 Τύπος
 77000 Τύπος
 78000 Τύπος
 79000 Τύπος
 80000 Τύπος
 81000 Τύπος
 82000 Τύπος
 83000 Τύπος
 84000 Τύπος
 85000 Τύπος
 86000 Τύπος
 87000 Τύπος
 88000 Τύπος
 89000 Τύπος
 90000 Τύπος
 91000 Τύπος
 92000 Τύπος
 93000 Τύπος
 94000 Τύπος
 95000 Τύπος
 96000 Τύπος
 97000 Τύπος
 98000 Τύπος
 99000 Τύπος
 100000 Τύπος

ΒΕΛΛΗΝΙΚΟ ΕΓΚΑΤΑΣΤΑΣΙΟ ΤΥΠΟΥ
 Στοιχεία σύστασης για την ΚΥΑ 3446/19-4-01 (ΚΕΚ 746/16-4-01)
 Αξιολογητής: LPE-01.01.20-1 εν 3 Πιστοποίηση: F Ορισμός: 2004
 Βάση: Τύπος: Τύπος Κ.Σ.
 15 Ανάλυση
 16000 Τύπος
 17000 Τύπος
 18000 Τύπος
 19000 Τύπος
 20000 Τύπος
 21000 Τύπος
 22000 Τύπος
 23000 Τύπος
 24000 Τύπος
 25000 Τύπος
 26000 Τύπος
 27000 Τύπος
 28000 Τύπος
 29000 Τύπος
 30000 Τύπος
 31000 Τύπος
 32000 Τύπος
 33000 Τύπος
 34000 Τύπος
 35000 Τύπος
 36000 Τύπος
 37000 Τύπος
 38000 Τύπος
 39000 Τύπος
 40000 Τύπος
 41000 Τύπος
 42000 Τύπος
 43000 Τύπος
 44000 Τύπος
 45000 Τύπος
 46000 Τύπος
 47000 Τύπος
 48000 Τύπος
 49000 Τύπος
 50000 Τύπος
 51000 Τύπος
 52000 Τύπος
 53000 Τύπος
 54000 Τύπος
 55000 Τύπος
 56000 Τύπος
 57000 Τύπος
 58000 Τύπος
 59000 Τύπος
 60000 Τύπος
 61000 Τύπος
 62000 Τύπος
 63000 Τύπος
 64000 Τύπος
 65000 Τύπος
 66000 Τύπος
 67000 Τύπος
 68000 Τύπος
 69000 Τύπος
 70000 Τύπος
 71000 Τύπος
 72000 Τύπος
 73000 Τύπος
 74000 Τύπος
 75000 Τύπος
 76000 Τύπος
 77000 Τύπος
 78000 Τύπος
 79000

CONTENTS

Page 3.....	Base Plates - Starter - Verticals
Page 4	Horizontal - O-Ledger - Diagonal Braces
Page 5.....	Lattice Beams - Console Brackets
Page 6	Steel Decks - Toe Boards
Page 7	Access Decks
Page 8	Stairway
Page 9	Couplers
Page 10	Storage - Extras
Page 11	Scaffold Assembly
Page 12	Order Form

Certification

This is a certification form from the Hellenic Register of Shipping (HRS) for a vessel named 'BARISSA'. The form is titled 'ΒΕΒΑΙΩΣΗ ΕΞΕΤΑΣΗΣ ΤΥΠΟΥ' (Type Examination Certification). It includes fields for the vessel's name, type, and other technical details. The form is signed by the HRS and includes a stamp.

This is a certification form from the Hellenic Register of Shipping (HRS) for a vessel named 'BARISSA'. The form is titled 'ΒΕΒΑΙΩΣΗ ΕΞΕΤΑΣΗΣ ΤΥΠΟΥ' (Type Examination Certification). It includes fields for the vessel's name, type, and other technical details. The form is signed by the HRS and includes a stamp.

This is a certification form from the Hellenic Register of Shipping (HRS) for a vessel named 'BARISSA'. The form is titled 'ΒΕΒΑΙΩΣΗ ΕΞΕΤΑΣΗΣ ΤΥΠΟΥ' (Type Examination Certification). It includes fields for the vessel's name, type, and other technical details. The form is signed by the HRS and includes a stamp.

This is a certification form from the Hellenic Register of Shipping (HRS) for a vessel named 'BARISSA'. The form is titled 'ΒΕΒΑΙΩΣΗ ΕΞΕΤΑΣΗΣ ΤΥΠΟΥ' (Type Examination Certification). It includes fields for the vessel's name, type, and other technical details. The form is signed by the HRS and includes a stamp.

[illegible]

CONTENTS

Page 3.....	Base Plates - Starter - Verticals
Page 4	Horizontal - O-Ledger - Diagonal Braces
Page 5.....	Lattice Beams - Console Brackets
Page 6	Steel Decks - Toe Boards
Page 7	Access Decks
Page 8	Stairway
Page 9	Couplers
Page 10	Storage - Extras
Page 11	Scaffold Assembly
Page 12	Order Form

Certification

CONTENTS


Page 3.....	Base Plates - Starter - Verticals
Page 4	Horizontal - O-Ledger - Diagonal Braces
Page 5.....	Lattice Beams - Console Brackets
Page 6	Steel Decks - Toe Boards
Page 7	Access Decks
Page 8	Stairway
Page 9	Couplers
Page 10	Storage - Extras
Page 11	Scaffold Assembly
Page 12	Order Form

Certification

[illegible][illegible]

BASE PLATES

PAINTED



$\Phi 40 \times 0.7\text{m}$ - Weight - 3.5Kg / Code - PBF4-7

$\Phi 40 \times 1.0\text{m}$ - Weight - 4.4Kg / Code - PBF4-1

HOT-DIP GALVANIZED

$\Phi 38 \times 0.6\text{m}$ - Weight - 3.6Kg / Code - PBF38-6

$\Phi 38 \times 0.8\text{m}$ - Weight - 4.4Kg / Code - PBF38-8

4m - Weight - 19.5Kg
Code - MAK-4



VERTICALS

HOT-DIP GALVANIZED

3m - Weight - 14.8Kg
Code - MAK-3



2m - Weight - 10.1Kg
Code - MAK-2



1.5m - Weight - 7.8Kg
Code - MAK-15



1m - Weight - 5.5Kg
Code - MAK-1



STARTER

HOT-DIP GALVANIZED

Weight - 1.5Kg
Code - MASTR





HORIZONTAL
HOT-DIP GALVANIZED

1.0m - Weight - 4Kg / Code - MAO-1	2.5m - Weight - 9.5Kg / Code - MAO-25
1.5m - Weight - 5.9Kg / Code - MAO-15	3.0m - Weight - 11.5Kg / Code - MAO-3
2.0m - Weight - 7.8Kg / Code - MAO-2	

Horizontals can be manufactured in other dimensions, upon order

O-LEDGER
HOT-DIP GALVANIZED



0.73m - Weight - 3Kg / Code - MAE-73
1.05m - Weight - 4.5Kg / Code - MAE-105
1.35m - Weight - 5.2Kg / Code - MAE-135

O-Ledgers can be manufactured in other dimensions upon order

DIAGONAL BRACES
HOT-DIP GALVANIZED



2.00 x 0.73m - Weight - 8.4Kg / Code - MAD2-73
2.00 x 1.05m - Weight - 8.8Kg / Code - MAD2-105
2.00 x 1.50m - Weight - 9.5Kg / Code - MAD2-15
2.00 x 2.00m - Weight - 10.5Kg / Code - MAD2-2
2.00 x 2.50m - Weight - 12Kg / Code - MAD2-25
2.00 x 3.00m - Weight - 13.25Kg / Code - MAD2-3




O-BRIDGING LEDGER
HOT-DIP GALVANIZED

1.5m - Weight - 9.3Kg / Code - MABRG-15

2.5m - Weight - 15.4Kg / Code - MAO-25

2.0m - Weight - 12.3Kg / Code - MABRG-2

3.0m - Weight - 18.7Kg / Code - MAO-3



LATTICE BEAM WITH 4 HEADS
HOT-DIP GALVANIZED

0.5 x 4m - Weight - 47.5Kg / Code - MABRG-54

0.5 x 8m - Weight - 96Kg / Code - MABRG-58


0.5 x 5m - Weight - 60Kg / Code - MABRG-55

0.5 x 9m - Weight - 108Kg / Code - MABRG-59

0.5 x 6m - Weight - 71.5Kg / Code - MABRG-56

0.5 x 10m - Weight - 120Kg / Code - MABRG-510

0.5 x 7m - Weight - 84Kg / Code - MABRG-57




CONSOLE BRACKET
HOT-DIP GALVANIZED

0.36m - Weight - 4Kg / Code - PR-36

0.39m - Weight - 4Kg / Code - PR-39


0.73m - Weight - 6.5Kg / Code - PR-73



STEEL DECKS GALVANIZED STEEL

0.30 x 1.0m - Weight - 7.9Kg / Code - MD031	0.30 x 2.5m - Weight - 16.6Kg / Code - MD0325
0.30 x 1.5m - Weight - 10.8Kg / Code - MD0315	0.30 x 3.0m - Weight - 19.5Kg / Code - MD033
0.30 x 2.0m - Weight - 13.7Kg / Code - MD032	


Steel Decks can be manufactured in other dimensions upon order



STEEL TOE BOARDS GALVANIZED STEEL

0.15 x 0.73m - Weight - 1Kg / Code - SBM-073	0.15 x 2.00m - Weight - 3.7Kg / Code - SBM-2
0.15 x 1.05m - Weight - 1.5Kg / Code - SBM-105	0.15 x 2.50m - Weight - 4.6Kg / Code - SBM-25
0.15 x 1.35m - Weight - 2Kg / Code - SBM-135	0.15 x 3.00m - Weight - 5.5Kg / Code - SBM-3
0.15 x 1.50m - Weight - 2.8Kg / Code - SBM-15	


Steel Toe Boards can be manufactured in other dimensions upon order



**ACCESS DECKS WOOD &
INTEGRATED LADDER**
(O-hatch type)
GALVANIZED STEEL

0.60x 2.5m - Weight - 22Kg
Code - MKW06-25

0.60x 3.00m - BAPOΣ - 26Kg
Code - MKW06-3



ACCESS DECKS (O-hatch type)
GALVANIZED STEEL

0.60x 2.00m - Weight - 27Kg
Code - MKP06-2

0.60x 2.5m - Weight - 32.5Kg
Code - MKP06-25

0.60x 3.00m - Weight - 38Kg
Code - MKP06-3

LADDER
HOT-DIP GALVANIZED



Weight - 7Kg / Code - SKALG



STAIRWAY
GALVANIZED STEEL

0.60 x 2.50m - Weight - 31Kg
Code - SKAL-KL



EXTERNAL STAIRWAY GUARDRAIL
HOT-DIP GALVANIZED

2,5m / Weight - 12Kg / Code - KP-



INTERNAL DOUBLE STAIRWAY GUARDRAIL
HOT-DIP GALVANIZED

Weight- 14Kg / Code - KP-ES



HALF COUPLER (HEAVY DUTY)
ZINC PLATED STEEL

Weight - 0.55Kg / Code - SF-MBT



PUT-LOCK COUPLER (HEAVY DUTY)
ZINC PLATED STEEL

Weight - 0.55Kg / Code SF-KBT



SWIVELLING COUPLER (HEAVY DUTY)
ZINC PLATED STEEL

Weight - 1.1Kg / Code SF-RBT



RIGHT ANGLE COUPLER (HEAVY DUTY)
ZINC PLATED STEEL

Weight - 1.1Kg / Code SB-SBT



SAFETY PIN
ZINC PLATED STEEL

Weight - 0.1Kg / Code - PA-M



PIN 8mm
ZINC PLATED STEEL
Weight - 0.1Kg / Code - PA-A




CLAMPABLE ROSETTE
ZINC PLATED STEEL

Weight - 1Kg
Code - RODG




SPIGOT
BLACK
Weight - 0.1Kg
Code - MA-GL



TRANSPORT/STORAGE BOX
HOT-DIP GALVANIZED

80 x 80 x 1.60m - Weight - 48Kg / Code MAKMG



ORDER FORM

Company	Tel.	email
---------	------	-------

CODE	ITEM	QUANTITY
MASTR	STARTER	
MAK-1	VERTICAL 1m	
MAK-15	VERTICAL 1,5m	
MAK-2	VERTICAL 2m	
MAK-25	VERTICAL 3m	
MAK-4	VERTICAL 4m	
PBF4-7	BASE PLATES Φ40 x 0,7m	
PBF4-1	BASE PLATES Φ40 x 1m	
PBF38-6	BASE PLATES Φ38 x 0,6m	
PBF38-8	BASE PLATES Φ38 x 0,8m	
MAO-1	HORIZONTAL 1m	
MAO-15	HORIZONTAL 1,5m	
MAO-2	HORIZONTAL 2m	
MAO-25	HORIZONTAL 2,5m	
MAO-3	HORIZONTAL 3m	
MAE-73	O-LEDGER 0,73m	
MAE-105	O-LEDGER 1,05m	
MAE-135	O-LEDGER 1,35m	
MAD2-73	DIAGONAL BRACES 2 x 0,73m	
MAD2-105	DIAGONAL BRACES 2 x 1,05m	
MAD2-15	DIAGONAL BRACES 2 x 1,5m	
MAD2-2	DIAGONAL BRACES 2 x 2m	
MAD2-25	DIAGONAL BRACES 2 x 2,5m	
MAD2-3	DIAGONAL BRACES 2 x 3m	
MABRG-15	O-BRIDGING LEDGER 1,5m	
MABRG-2	O-BRIDGING LEDGER 2m	
MABRG-25	O-BRIDGING LEDGER 2,5m	
MABRG-3	O-BRIDGING LEDGER 3m	
MABRG-54	LATTICE BEAM 0,5 x 4m	
MABRG-55	LATTICE BEAM 0,5 x 5m	
MABRG-56	LATTICE BEAM 0,5 x 6m	
MABRG-57	LATTICE BEAM 0,5 x 7m	
MABRG-58	LATTICE BEAM 0,5 x 8m	
MABRG-59	LATTICE BEAM 0,5 x 9m	
MABRG-510	LATTICE BEAM 0,5 x 10m	
PR-36	CONSOLE BRAKET 0,36m	
PR-39	CONSOLE BRAKET 0,39m	
PR-73	CONSOLE BRAKET 0,73m	
MD031	STEEL DECKS 0,30 x 1m	
MD0315	STEEL DECKS 0,30 x 1,5m	
MD032	STEEL DECKS 0,30 x 2m	
MD0325	STEEL DECKS 0,30 x 2,5m	
MD033	STEEL DECKS 0,30 x 3m	

CODE	ITEM	QUANTITY
SBM-073	STEEL TOE BOARD 0,15 x 0,73m	
SBM-105	STEEL TOE BOARD 0,15 x 1,05m	
SBM-135	STEEL TOE BOARD 0,15 x 1,35m	
SBM-15	STEEL TOE BOARD 0,15 x 1,5m	
SBM-2	STEEL TOE BOARD 0,15 x 2m	
SBM-25	STEEL TOE BOARD 0,15 x 2,5m	
SBM-3	STEEL TOE BOARD 0,15 x 3m	
MKP06-2	ACCESS DECKS 0,60 x 2m	
MKP06-25	ACCESS DECKS 0,60 x 2,5m	
MKP06-3	ACCESS DECKS 0,60 x 3m	
SKALG	LADDER	
MKW06-25	ACCESS DECKS (WOOD& LADDER) 0,60 x 2,5m	
MKW06-3	ACCESS DECKS (WOOD& LADDER) 0,60 x 2,5m	
SKAL-KL	STAIRWAY	
KP-EX	EXTERNAL STAIRWAY GUARDRAIL	
KP-ES	INTERNAL STAIRWAY GUARDRAIL	
SF-MBT	HALF COUPLER (HEAVY DUTY)	
SF-KBT	PUT-LOCK COUPLER (HEAVY DUTY)	
SF-RBT	SWIVELLING COUPLER (HEAVY DUTY)	
SF-SBT	RIGHT ANGLE COUPLER (HEAVY DUTY)	
PA-M	SAFETY PIN	
PA-A	PIN 8mm	
MA-GL	SPIGOT	
RODg	CLAMPABLE ROSETTE	
MAKMG	TRANSPORT/ STORAGE BOX	

For special dimensions fill in the following table, the code or the item and the dimensions.

[illegible]

Contact us at:

info@anko.com.gr
anko.central@gmail.com